

Product Data Sheet

## **Pharmacy Fridge - 36 Litres**

## **Product Images**



## Description

- Compliant with all leading professional guidelines...
  - Department of Health Green Book
  - $\circ~$  Recommendations in The Royal Pharmaceutical Society of Great Britain's 'Code of Ethics & Standards'
  - National Travel Health Network and Centre Yellow Book
  - Royal College of Veterinary Surgeons Guidelines
- Fan assisted cooling
- Designed specifically for the safe storage of vaccines and pharmaceuticals
- Available as bench top, under bench, wall fitting or free-standing
- Temperature range +2°C to +8°C
- Second wandering temperature probe (can be placed anywhere within the refrigerator, ideal for pharmacists needing to comply with MHRA regulations)
- IntelliCold® touch screen controller
  - Automatic 24/7 temperature & fridge operation data recording (micro SD card required)
  - Min/max temperature control, display & recording
  - Displays temperature from both probes

- High/low temperature alarm
- Door open alarm
- Mains failure alarm (requires batteries)
- Alarm battery back-up
- Internal LED light
- Access port & remote alarm contacts
- Fan assisted cooling
- Off cycle auto defrost
- Low GWP environmentally friendly refrigerant
- Self-closing doors with door open alarm
- Available with either a CAM or digital push button lock
- CAM Supplied with two keys
- Digital Push Button Mains operated (uses a 4-digit pin)
- Adjustable shelves
- Micro SD card (optional)
- UKAS traceable calibration service (optional)
- Repeat alarm (optional)
- Five year parts & labour warranty

Please Note: Delivery within 10 working days

|               | Model No.                      | 5RLDF0119           |
|---------------|--------------------------------|---------------------|
|               | Door Type                      | Solid               |
|               | Capacity                       | 36 Litres           |
|               | Dimensions<br>(w x d x h)      | 450 x 510 x 538mm   |
|               | Weight                         | 30.0kg              |
|               | Positioning                    | Bench/Wall Mounting |
| Specification | Shelves                        | 2                   |
|               | Drawer<br>Capacity             | -                   |
|               | Energy<br>Consumption          | 0.59 kWh/24h        |
|               | Operating<br>Temp<br>(nominal) | 5°C                 |
|               | Temperature<br>Range           | 2 to 8°C            |
|               |                                |                     |